# MANAGEMENT OF KHALITYA IN AYURVEDA-A CASE STUDY

Article · May 2020 CITATIONS READS 0 2,693 2 authors: Nidhi Gupta Dr.Gopesh Mangal National Institute of Ayurveda National Institute of Ayurveda 14 PUBLICATIONS 4 CITATIONS 155 PUBLICATIONS 36 CITATIONS SEE PROFILE SEE PROFILE Some of the authors of this publication are also working on these related projects: Article View project Conceptual Study on Kukkutanda Pinda Sweda: A Review Article View project

(IJRMST) 2019, Vol. No. 8, Jul-Dec

# MANAGEMENT OF KHALITYA IN AYURVEDA- A CASE STUDY

\*Dr. Nidhi Gupta, \*\*Dr. Gopesh Mangal

\*PG Scholar, \*\*Associate Professor & Head, PG Department of Panchakarma, National Institute of Ayurveda, Jaipur-302002, Rajasthan

#### ABSTRACT-

Purpose- Khalitya is mainly a Pitta dominant Tridoshaja Vyadhi. In Ayurveda Khalitya means hair fall and it closely resembles to baldness or alopecia in modern science. In present era millions of people are suffering from hair fall. Prevalence of hair fall was found to be 60.3%, prevalence of dandruff was found to be 17.1% and the prevalence of baldness was found to be 50.4%. It is a universal problem affecting both sexes of all races. Khalitya has been described in Ayurveda under the heading of Kshudra Roga (minor disease) or Shiroroga (diseases of head & scalp). It is progressing disorder people living in sedentary life, stress induced hectic schedules along with indiscriminate dietary habits result in many disturbance and deficiencies in the body which directly reflect in loss of hair.

Method- This is single case study of 35 year old female suffering from excessive scalp hair fall along with itching on scalp and constipation (associated complaint) visited the OPD (Registration No- 1711022018) of Panchkarma, NIA, Jaipur. As per Ayurveda, this case was treated in the line of Khalitya. The whole treatment includes Takradhara, Nasya Karma with Madhuyashtyadi Taila for 14 days, along with Shamana Chikitsa. Assessment was done on the basis of symptoms.

**Result**- The therapy provided marked changes in the hair fall. The present study showed significant reduction in hair fall, itching on scalp etc. There were no adverse reactions, either reported or observed during the treatment period.

**Conclusion-** Based on the case study it can be concluded that Takradhara, Nasya Karma along with Shamana Chikitsa is effective in the management of Khalitya (hair fall).

Keywords - Khalitya, Takradhara, Nasya

#### INTRODUCTION-

Concept of beauty (*Saundarya*) is gaining more and more attention globally and hair plays an important role in and it has been said that hair is a barometer of one's beauty<sup>1</sup>. In this advanced modernized era, the human are gifted with lot of sophistication, luxuries but at the same time left with sedentary life style, stress induced hectic schedules along with faulty dietary habits. These all habits influences the homeostasis of the body and many other health problems, hair fall is one of them. Problem of falling of hair is progressively increasing in society affecting the quality of life. In

Ayurveda Khalitya means hair fall and it closely resembles to baldness or alopecia in modern science. Millions of people are suffering from hair fall and the prevalence of hair fall found to be 60.3%, prevalence of dandruff was found to be 17.1% and the prevalence of baldness was found to be 50.4%<sup>2</sup>. It is a universal problem affecting both sexes of all races<sup>3</sup>. Hair fall has been described in almost all the Ayurvedic literatures as Khalitya. It has been included in Shiroroga by Acharya Charaka and Ashtanga hridaya<sup>4</sup>. Khalitya is mainly a Pitta dominant Tridoshaja Vyadhi<sup>5</sup> where Tejas Mahabhoota combining with Vatadi Dosha reaches the Shira Kapala and cause hair fall by

(IJRMST) 2019, Vol. No. 8, Jul-Dec

Dahana of Roma Koopa (hair follicles)<sup>6</sup>. Indralupta and Ruhyam these are 2 words which is also described in Ayurveda as a symptom of Hair fall<sup>7</sup>. According to Acharya Charaka, the Tejas Dhatu (heat) of the body in association with Vayu and other Dosha, scorches up the hair-root (scalp) giving instantaneous rise to Indralupta (alopecia). According to Acharya Kartika, falling of hair from all over the body is called Ruhya. There are some differences between Khalitya & Indralupta. In Khalitya, hair loss is gradual and generalised over the scalp but hair is lost suddenly and patch by patch in Indralupta<sup>8</sup>.

According to modern science hair fall is one of the main symptoms which indicate many pathological conditions. It may occur due to hormonal disturbance. In Ayurveda there is no clear description about the causative factors of Khalitya except Acharya Charaka and Vagbhatta who has mentioned the major factors as follows- Pitta Prakarti, Ksharaatisevan, Lavanrasa Atisevan, Ushar Bhoomi, Viruddha Aharasevan<sup>9</sup>, ignorance of Pratishyaya<sup>10</sup>, take of Lavan during pregnancy would be result in congenital hair loss (Khalitya)<sup>11</sup>. Acharya Vagbhatta has mentioned Shiroroga under the caption of Urdhvajatrugata Vyadhi and these are further divided into 9 Kapalagata Vyadhi, Khalitya being one of them<sup>12</sup>. There is no separate description about causative factor of Khalitya but the general etiological factor of Shiroroga can be considered as that Khalitya Nidana.

Hair fall changes the outer look of a person, which becomes embarrassing and more conscious and is being forced to undergo various and more expensive treatment like hair transplant in modern science. Different types of steroids are being prescribed for the which is having various adverse effects. In such a scenario there is a need for the efficient management of hair fall in a natural way without leading to further adverse effects. Ayurveda classics explain different modality for the management of Khalitya (hair fall). Pitta is the Pradhana Doshas contributing to Khalitya (hair fall). Ayurveda advocates some fruitful Panchakarma therapies like Takradhara and Nasya Karma. Hence an effort has been made to evaluate the efficacy of Takradhara and Nasya Karma along with Shamana Chikitsa (Internal medicine) in the management of the Khalitya (hair fall).

e-ISSN: 2455-5134, p-ISSN: 2455-9059

management of hair fall continuous and long term of

# **CASE REPORT**

This is single case study of 35 year old female suffering from excessive scalp hair fall along with itching on scalp) since 1year, visited the OPD (Registration No- 1711022018) of *Panchakarma*, NIA, Jaipur.

History of present illness- A 35 year old female experienced itching of scalp 13 year back. After few months, she suffered from hair fall. Gradually she developed excessive hair loss of scalp like baldness. She was under mental stress due to hair loss. She had undergone allopathic treatment but that provide her only temporary relief. With this complains, patient approached the NIA, jaipur.

**History of past illness**- there was no relevant past history.

**Family history**- No member of the family had history of such illness.

Personal	history-	[Table no.1	1

Diet	Vegetarian
Appetite	Good
Micturition	5-6 times/day and 0-1 time/night
Sleep	Sound rarely disturbed
Bowel habit	irregular
addiction	Not any

Astavidha Pariksha - [Table no.2]

(IJRMST) 2019, Vol. No. 8, Jul-Dec

Nadi	74bpm
Mutra	Samyaka
Mala	Sama
Jivha	Nirama
Shabda	Spasta
Sparsha	Samshitoshna
Drik	Spasta
Akriti	Madhyam

Systemic examination- [Table no.3]

Blood Pressure	126/80
Temperature	A febrile
Pulse	74/bpm
Respiratory Rate	18/min.
Weight	62 kg
Height	5'3''
Sleep	Sound
Gait	Normal
Oedema	Absent

**Investigation-**Hematological investigation of the patient was within normal limits. The case was diagnosed *Khalitya* (Hair fall) on the basis of sign and symptoms. Patient was treated at OPD level of *Panchkarma* department of NIA. The treatment was given according to *Ayurveda* principles.

Intervention- Takradhara and Nasya Karma along with the Shamana Chikitsa was given to the patient.

(IJRMST) 2019, Vol. No. 8, Jul-Dec

S.No	Procedure	Drug	Dose	Time
1.	Takradhara	Takra+ Amalaki	1-1.5 litre	For 14 days at the
		Churna+ Vidanga		morning time
		Churna		
2.	Nasya	Madhuyashtyadi Taila	4 drop each nostril	For 14 days at the
				morning time

# Shamana Chikitsa- [Table no.5]

S. No.	Date of start	Drug	Dose	Frequency
1.		Amalaki Churna	2gm	BD after meal
		Bhrangaraj Churna	2gm	
	11/2/2019	Yastimadhu Churna	2gm	
2.	11/2/2019	Bhrangaraj Asava	1 tsf	BD after meal
3.		Neelibrangyadi Taila		For local application
4.		Rich Health Nutra	1cap	OD after meal

Follow up of the patient was done after 1month of completion of procedure.

#### Assessment-

Assessment was done after the completion of procedure and after the follow up. Both subjective as well as clinical improvements were employed for the assessment of the impact of the procedure. All symptoms which were selected for assessment, their improvements were thoroughly examined and the severity of each of them was rated before and after the trial of the procedure. Grading was done for the assessment [Table no. 6], [Table no 7]

# Subjective criteria-

Keshpata (hairfall)- [Table no. 6]

1.	No hair fall	0
2.	Hair fall once in the morning while washing/combing	1
3.	Hair fall on every time of morning	2
4.	Hair fall even without combing and raised hairline in frontal	3
	region (mild baldness)	

Keshbhoomi Rukshata (Roughness)- [Table no. 7]

1.	Smooth hair surface	0
2.	Occasional rough hair surface	1
3.	Slight rough hair surface	2
4.	Rough hair surface	3

Keshbhoomi Kandu (itching)- [Table no. 8]

(IJRMST) 2019, Vol. No. 8, Jul-Dec

1.	Absent	0
2.	Mild itching	1
3.	Moderate itching	2
4.	Severe itching	3

Darunaka (Dandruff)- [Table no. 9]

1.	Absent	0
2.	Mild	1
3.	Moderate	2
4.	Severe	3

Simple pull test- [Table no 10]

<2 hair	0
2-4 hair	1
4-6 hair	2
6-8 hair	3

Overall assessment- [Table no 11]

S.No	Symptoms	BT	AT	After follow up
1.	Keshpata (hairfall)	3	1	2
2.	Keshbhoomi Rukshata	3	2	2
	(Roughness)			
3.	Keshbhoomi Kandu (itching)	2	1	1
4.	Darunaka (Dandruff)	0	0	0
5.	Pull test	3	1	1

Figure No.1



**Before treatment** 



After treatment

**DISCUSSION-**

Following treatment of *Khalitya* are described by different *Acharya* in our text. *Acharya Charaka* 

(IJRMST) 2019, Vol. No. 8, Jul-Dec

mentioned that the patient of *Khalitya* should be treated by *Nasya*, *Shiroabhyanga* and *Pralepa* on the head and face along with *Shodhana Chikitsa*<sup>13</sup>. *Acharya Sushruta* has also mentioned about *Pradhamana Nasya* in the management of *Khalitya*<sup>14</sup>. *Acharya* Vagbhatta mentioned that after the *Shodhana* of *Dosha*, the treatment which is mentioned in *Indralupta* and *Palitya*, should be done in *Khalitya*. In present study *Takradhara* and *Nasya Karma* with *Madhuyashtyadi Taila* along with *Shamana Chikitsa* was a good choice of treatment modality for *Khalitya*.

Probable mode of action of Takradhara-Shirodhara is a form of Ayurveda therapy that involves gently pouring warm liquids over the forehead. There are various form of Shirodhara such as Tailadhara, Ksheeradhara, Takradhara, Jaladhara and Kvathadhara. The aim of this study was to treat Khalitya (hair fall) in natural way with administration of medicine with some special modification. Here we have been used Takra as a main content for Shirodhara in place of oil hence we called as Takradhara. The drugs used along with Takradhara (Amalaki, Vidanga) have Vata, Pitta Shamaka property which are not only reduces mental stress and tension but also enhance the circulation of brain, improves memory, nourishes the hair on scalp and help to reduce hair fall. When Takra is poured in a continuous stream over forehead it might communicate with the deepest recesses of the brain soothing the Marma. Takradhara stimulates some Marma like Shankha, Sthapni, Apanga etc. and improves blood circulation in the brain.

Probable mode of action of Nasya Karma- Nasya is mainly indicated to cure the diseases affecting as well as strengthen the supra-clavicle part of the body such as head and sense organs because nostril is considered as route of head "Nasa hi sirso dwaram". Yashtimadhu, Amalki, Godugdha and Tila Taila are the contained of Madhuyashthadi Taila which having the Rasayana, Keshavriddhikara, Kriminashaka, Balya Varnya, Kandughhna, and Vyasthapana properties.

**Probable mode of action of Shamana Chikitsa**-*Neelibrangyadi* Tail used as a local application over head which has *Keshya* and *Rasayana* properties. This oil also enhances the nutritive beneficial effect on the hair. The *Neelibrangyadi Taila* is likely to stimulate the anagen phase (growth phage) and re-growth of hairs and this purpose is achieved by local application of oil over head due to deeper absorption. The combination of *Amalaki*, *Bhrangaraj* and *Yashtimadhu* work as a *Rasayana* which help in *Keshavriddhi* and rejuvenation. These drugs are possessing *Tridoshhara* property, *Agnideepana*,

Krimihara action. There by promoting hair growth

along with overall wellness of the body.

e-ISSN: 2455-5134, p-ISSN: 2455-9059

## **CONCLUSION**

On the basis of single case study it can be conclude that *Takradhara* and *Nasya* along with *Shamana Chikitsa* are effective in the management of *Khalitya* (hair fall).

Conflicts of Interest: Not any

### REFERENCES-

- Review article on CONCEPT OF HAIR AND ITS CARE IN AYURVEDA, Ankita Viroja et al, Journal of Biological and scientific opinion, vol.3 (6). 2015; ISSN 2321-6328.
- **2.** Article on Study on Hair fall with related problems among males of age 18 to 50 years, Priyadharshini Mahendra Varman et al; DOI: 10,7860/JCDR/2018/36050.12175.
- **3.** Review article on ELIXIR ACTION OF AYURVEDA IN KHALITYA; Sanchit Jain et al; An International Journal of Research in AYUSH and Allied Systems; ISSN: 2393-9583 (P)/2393-9591 (0)
- **4.** Ashtanga Hrdayam of Vagabhata, Vidyotini Hindi commentary Uttarsthana, 23/26 Chaukhamba Prakashana, Varanasi, Edition; Reprint, 2009 page no.728
- Acritical review on Nidana Panchaka of Khalitya, Pramod Kumar et al; International journal of research in Indian medicine; e-ISSN; 2456-4435
- Charaka Samhita, Vidyotini Hindi commentary vol.2, Chikitsasthana, 26/132 Chaukhamba Bharati Akadmi; Varanasi By

(IJRMST) 2019, Vol. No. 8, Jul-Dec

- Dr. Gorakha Nath Chaturvedi & Pd. Kashi Nath Shashtri, page no.744
- 7. Ashtanga Hrdayam of Vagabhata, Vidyotini Hindi commentary Uttarsthana, 23/25 Chaukhamba Prakashana, Varanasi, Edition; Reprint, 2009 page no.728
- 8. Ashtanga Hrdayam of Vagabhata, Vidyotini Hindi commentary Uttarsthana, 23/26 Chaukhamba Prakashana, Varanasi, Edition; Reprint, 2009 page no.728
- Article on Evaluation of efficacy of Bruhatyadi Taila Nasya with Shiroabhyanga in the management of Khalitya; www.ejpmr.com; ISSN 2394-3211
- Charaka Samhita, Vidyotini Hindi commentary vol.2, Chikitsasthana, 26/107-108 Chaukhamba Bharati Akadmi; Varanasi By Dr. Gorakha Nath Chaturvedi & Pd. Kashi Nath Shashtri, page no.737
- 11. Kaviraja Atrideva Gupt, Astanga Samgraha-I, Sharir sthana, 2/61, Chaukhamba Krishnadas Academy, Varanasi, reprint-2005, page no. 280-281.
- **12.** Kaviraja Atrideva Gupt, Astanga Hridaya— Uttartantra, 23/24-25, Chaukhamba publication, Varanasi, reprint-2012, page no 728
- 13. Charaka Samhita, Vidyotini Hindi commentary vol.2, Chikitsasthana, 26/262 Chaukhamba Bharati Akadmi; Varanasi By Dr. Gorakha Nath Chaturvedi & Pd. Kashi Nath Shashtri, page no.761
- **14.** Shushrut samhita Chaukhamba Sanskrit Sansthana, Edition: Reprint, 2014 volume Chaukhamba publication Hindi commentary, Volume 2; Uttarasthana, 54/37 page no-513.