



## A Review on the Role of *Naladadi Ghrita* (A Polyherbal Medicated Ghee) in the Management of *Jarajanya Medhakshaya* (Age Related Deterioration of Intellect)

Mridula.M.K,<sup>1</sup> P.Y.Ansary,<sup>2</sup> Sara Moncy Oommen<sup>3</sup> V.V.Shincymol<sup>4</sup> Sethu.R<sup>5</sup>

1. Assistant Professor Dept. Of Dravyaguna vijnana Govt. Ayurveda College Tripunithura
2. Professor& HOD Dept. Of Dravyaguna vijnana Govt. Ayurveda College Tripunithura
3. Professor& HOD Dept. Of Dravyaguna vijnana Govt. Ayurveda College Kannur
4. Associate Professor Dept. Of Dravyaguna vijnana Govt. Ayurveda College Tripunithura
5. Assistant Professor Dept. Of Dravyaguna vijnana Govt. Ayurveda College Tripunithura

### Article Info

#### Article history:

Received on: 14-12-2021

Accepted on: 20-01-2022

Available online: 31-01-2022

#### Corresponding author-

Mridula. M.K Assistant Professor,  
Department of Dravyaguna Vijnana, GAC,  
Tripunithura

[E-Mail: drmidulank@yahoo.com](mailto:drmidulank@yahoo.com)

### ABSTRACT:

Ageing and related ailments especially mental health conditions imparts a greater burden in elderly population. Age related dementia including both memory loss and cognitive impairment is a leading contributor of disability. Due to the concern over safety of available pharmacological therapies many people with dementia turn to complementary medicine. Ayurveda, the Indian system of medicine recognises this condition as *Medhakshaya* (deterioration of intellect) and has given much emphasis on drugs which will promote *Medha*. Several *rasayana* drugs in ayurveda are primarily claimed as *medhya* since they have the ability of mental upliftment. *Naladadi ghrita* is such a formulation described in *rasayana prakarana* of *Ashtanga hridaya* and in this review we tried to analyse individual drug action and their synergetic action. Role of drugs in neuroprotection, learning and memory was analysed by electronic database search. And drugs were also reviewed by ayurveda parameters. Results of the review revealed the role of individual drugs in digestion and various brain functions. combination of drugs may produce an extra therapeutic effectiveness by synergism and can be utilised for the treatment of various CNS disorders including *jarajanya medhakshaya*.

**Keywords:** Ageing, Dementia, *Ayurveda*, *Rasayana*, Neuroprotective Agents, Herbal Medicine

### INTRODUCTION

India has experienced a dramatic demographic transition in the past 50 years with a tripling of the population over the age of 60 years<sup>1</sup> and is expected to reach 158.7 million in 2025<sup>2</sup>. An analysis of morbidity patterns by age indicates

that the elderly experiences a greater burden of ailments compared to other age groups<sup>3</sup> and mental health conditions play a significant role in their morbidity and premature mortality<sup>4</sup>. Ageing being a risk factor for neurodegenerative disorders contributes to the



development of dementia in a large number of people<sup>5</sup>. Among all neuropsychiatric conditions, dementia is a leading contributor of disability in the elderly and these shifts in the paradigm may affect the prevalence of dementia in India<sup>6</sup>. A study on the prevalence of cognitive impairment and dementia in community-dwelling Indians from Singapore reported that among elderly Indians the overall prevalence of any cognitive impairment is 24.6% including 1.2% of dementia<sup>7</sup>. Memory loss in elderly will raise concern over cognitive abilities or to general cognitive decline, and not just memory even though some degree of cognitive slowing is a part of normal aging<sup>8</sup>. They can't transform information quickly to make a decision which shows impairment in speed of processing, working memory, and executive cognitive function<sup>9</sup>. But the safety and long-term therapeutic benefits of currently available interventions remain uncertain and due to these unsatisfactory pharmacological therapies, many people with dementia and cognitive impairment turn to complementary medicine. Present era witnessed a tremendous urge to explore medicinal plants globally for improving cognitive function owing to their less adverse effects. Also, CNS acting drugs are highly dose dependant and always tends to result with addiction accompanied with withdrawal symptoms.

Concept of ageing (*jara*) including changes in body and mental functions is beautifully described in classics of *Ayurveda*. Age (*vaya*) is divided into childhood (*balyam*), middle age (*madhyam*), and old age (*vridha*) and Acarya Charaka mentioned that cognitive functions like power of understanding (*grahana*), power of retention (*dharana*), power of memorizing (*smarana*), speech (*vachana*), and functions of sense organs get affected in old age<sup>10</sup>. *Sarangadhara samhita* clearly emphasizes that intellect (*medha*) and wisdom (*buddhi*) start to deteriorate between the fourth and ninth decades of life<sup>11</sup>. Being a holistic science *Ayurveda* gives equal importance to body and mind in health and disease. *Ayurvedic* principles pointed out the coexistence of body (*sarira*), sense organs (*indriya*), mind (*sattva*) and soul (*atma*) as *ayu* and the main motive of *Ayurveda* is the protection of *ayu*<sup>12</sup>. 'Medha' means intellect or retention and ayurvedic classics used this word synonymously with *buddhi*, *smrti* and *dhi* to denote *grahana sakthi* (grasping power) and *dharana Shakti* (retention power)<sup>13</sup>. It provides the power to obtain the knowledge of existing object. *Medha* can be particularized as an individual's specific intellectual ability to retain a large amount of knowledge (cognition) and for a long time<sup>14</sup>. *Medha* affects the happiness or misery of the '*ayu*.

So, protecting *medha* is essential for fulfilment of motive of *ayurveda*. Among major disabilities faced by elderly, deterioration of memory and learning has considerable impact on their health. Ayurveda recognises this condition as *medhakshaya* (deterioration of *medha*). Acharyas has given much emphasis on drugs which will promote *medha* (*medhya dravyas*). Though *medhya karma* is related to *manas*, its specific concern with nervous system is undoubtful which is considered as a *prabhavajanya*<sup>15</sup> They can be utilized for the prevention and treatment of *medhakshaya*. Several medicinal plants mentioned as *rasayana* drugs in *ayurveda* are primarily claimed as *medhya* since they have the ability of mental upliftment<sup>16</sup>. Descriptions about various *rasayanas* in the form of rejuvenative recipes, dietary regimen, special health promoting behaviour and drugs can be seen in authentic *ayurveda* text books. Properly administered *rasayanas* can provide longevity, memory, intelligence and freedom from diseases. They are classified on the basis of benefit, method of use, or material used and *aushadha rasayanas* (drugs) plays a major role in *rasayana chikitsa*. Some of the *aushadha rasayanas* are organ and tissue specific and those specific to brain tissue are called *medhya rasayana*. They will help to retard brain aging and helps in regeneration of neural tissues besides producing antistress, adaptogenic and memory enhancing effects<sup>17</sup>. Powder of *Glycyrrhiza glabra* Linn (*yashtimadhu churna*), juice of *Centella asiatica* (L.) Urb. (*mandukaparni swarasa*), paste of *Convolvulus pleuricaulis* Choisy (*shankhapushpi kalka*) and Juice of *Tinospora cordifolia* (Willd.) Hook.f. & Thomson (*guduchi swarasa*) are advised to use as *medhya rasayana* by acharyas<sup>18</sup>. Apart from these single drugs many polyherbal formulations are described in *Ayurveda* classics which will perform *medhya karma*. *Naladadi ghrita* is such a formulation described in *rasayana prakarana* of *Ashtanga hridaya* and widely used medicine in Kerala. It contains around 17 herbs and *Convolvulus pleuricaulis* Choisy (*Shankha pushpi*) is the major ingredient<sup>19</sup> Gupta and Mamidi reported that *Naladadi ghrita* is effective in the management of ADHD in children. They have observed a significant improvement in ADHD rating scale in children<sup>20</sup>. This review is an attempt to analyse the role of *Naladadi ghrita* in the management of *medhakshaya* due to ageing.

## MATERIALS AND METHODS

Organized collection of data from classical text books of Ayurveda and electronic databases (pubmed and google

scholar). Ayurvedic literature relating to the formulation and ingredients of *Naladadi Ghrita* is collected from *samhithas and nighantus*. Botanical sources were identified from Indian Medicinal plants, a compendium of 500 species. Pharmacological evaluations conducted with the part used and phytoconstituents of individual drugs were collected from the research articles available online mainly through PubMed search engine. Ingredients of *Naladadi ghritam* as per Indian Medicinal Plants Vol (1-5)<sup>21</sup>(Table 1)

#### Indications<sup>22</sup>

1. By regular intake of this *ghrita*, even mute or retarded persons will become talkative which indicates its action in areas of speech (*Jado api Vagmi Bhavet*)
2. Regular use of this also improves the ability to understand, capacity to retain memories, ability to analyze and draw logical conclusions (*Srutadhari*)
3. Enhance the intellect and make a person more creative. (*Pratibhavan*)
4. Regular use will improve general health. (*Aroga*)

**Method of preparation.** As per the general method, paste of drugs(*kalka*), ghee(*ghrita*) and liquids(*kwatha/swarsa*) will be taken in a ratio of ¼:1:4 and will cook until it attains *paka lakshanas*<sup>24</sup>. Here as per the textual reference, 1 *athaka* of ghee (approx.2.56 kg) will be mixed with 10.24 kg of *sankhapushpi swarasa* and milk each. Then 0.64 kg of *kalka* prepared with the remaining ingredients will be added to this mixture and will be cooked in mild fire till *paka lakshana*.

**Dose** -General dose for *snehakalpana* is 1 *pala*<sup>25</sup>. But there are various factors to be considered before deciding the dose of a drug. Acharya Caraka stated that the standard dose of a drug is suited for young person(*madhyamavastha*)<sup>26</sup>. Sarngadhara elaborated the same by mentioning the age specific doses for powder(*churna*), paste(*kalka*) and decoctions(*kwatha*)<sup>27</sup>. Apart from this strength of the patient and disease, digestive power, bowel, sex, power of drug etc are also the determining factor for dose<sup>28</sup>. So, the dose of *Naladadi ghrita* should decide considering all these factors since there is no specification of dose in the textual reference.

#### Pharmacological Properties (*Rasadi Gunas*) of the drugs from various *Nighantus*<sup>29</sup> (Table 2)

It is difficult to explain the effect of all *medhya* drugs since they show varied properties. *Nagarjuna* opined that the *medhya dravyas* acts by their *achintya veerya (prabhava)*.

They may act at level of *rasa, agni, and srotas*. They may stimulate and improve the function of *agni*<sup>30</sup>. Researches reported the role of digestion and metabolism in control of brain function. Since brain consumes an immense amount of energy relative to the rest of the body, the mechanisms that are involved in the transfer of energy from foods to neurons are likely to be fundamental to the control of brain function. Several gut hormones have been found to influence emotions and cognitive processes<sup>31,32</sup>. Some dietary components have been identified as having effects on cognitive abilities<sup>33,34</sup>. At level of *Srotas*, they may improve the circulation of *rasa* by opening and cleaning the micro channel and then ultimately improve the function of *Medha*.

As per *Ayurveda* principles, action of a *dravya* is decided by its *rasapanchaka* which are ultimately different combination of *panchamahabhootas*. They possess characteristics of *satva, raja* and *tama*. Since *medha* is attributed to predominance of *satva guna, akashiya taijasa* and *apya dravyas* having *satva guna* predominance will improve *medha*. Analysis of *rasapanchaka* of *Naladadi ghrita* revealed *madhura, tikta* and *katu* *rasa* predominance in the ingredients. They are either *madhura* or *katu* in *vipaka*. *Tikta rasa* has a direct action on the promotion of *medha*. It performs their function by its *laghu guna, deepana-paachana* and *srotosodhaka karma*. Bitter substances are reported to possess potent effects to stimulate the secretion of gastrointestinal hormones and modulate gut motility<sup>35</sup>. Studies reported humans have bitter taste receptors (25 T2Rs) that are expressed in the oral cavity, gastrointestinal and neuroendocrine cells<sup>36</sup>. *Madhura rasa* also by promoting the formation of *oja* nourishes *indriyas, manas* and *medha*. *Katu rasa* possess *deepana* and *pachana* property. It dilates channels (*srotosodhana*). *Seeta veerya* and *mahura vipaka* promotes *kapha* and enhances *dharana karma*. *Ushna veerya* and *tikta rasa* promotes *pitta* and enhances *grahana* and *smarana* (ie grasping power and memory)<sup>37</sup>. *Sankhapushpi (Convolvulus pleuricaulis* Choisy) is the main ingredient of *Naladadi ghrita*. *Acharyas* explained the *medhya karma* of this plant in various classics and it is said to be superior to other *medhya dravyas*. Hypotensive and tranquilizing effects of the plant is evident from various pharmacological studies. And some clinical studies have shown its beneficial effects in anxiety neurosis<sup>38</sup>. *Nahata A etal* reported a significant improvement in learning and memory in rats after treatment with ethanolic extract of *Convolvulus pleuricaulis* Choisy(CP)<sup>39</sup>. A study

by Jai malik reported neuroprotective activity of CP Extract against 3-NP-induced neurotoxicity and can be further explored for its efficacy against Huntington's disease<sup>40</sup>. Phytochemical evaluation of the plant revealed the presence of Kampferol, a natural flavonol which possess a wide range of pharmacological activities including neuroprotective and anxiolytic activity<sup>41</sup>.

*Nalada* (*Nardostachys jatamansi* DC) is an ingredient of various Ayurveda formulations and acharyas explained its *medhya karma*. This plant has been claimed to possess antidepressant<sup>42</sup>, sedative<sup>43</sup>, antiparkinsonian<sup>44</sup> and memory enhancing activities<sup>45</sup>. Studies reported significant improvement in learning and memory in young mice after treatment with ethanol extract of the plant. They also reported reversal in aging-induced amnesia of mice. Administration of powdered roots daily for one month showed statistically significant improvement in latency to falling asleep, duration and undisturbed restful sleep in Indian patients with primary insomnia of up to 5 years duration<sup>46</sup>. Rucker G et al reported that one active sesquiterpene in this plant named valeronone exhibits activities typical for tranquilizers<sup>47</sup>.

*Madhuka* (*Glycyrrhiza glabra* Linn) is an important ingredient in many ayurvedic formulations. Parle M et al reported a significant improvement in learning and memory in mice after pre-treatment with aqueous extract for 7-days<sup>48</sup>. Also a reversal in scopolamine-induced amnesia<sup>49</sup>, decrease in brain AChE activity<sup>50</sup>, and production of antidepressant-like effect<sup>51</sup> were reported. Various studies reported significant enhancement in spatial memory retention<sup>52</sup> and learning<sup>53</sup> by pretreatment with its aqueous extract. Glycyrrhizin, a saponin present in this plant is one of the most potent hydroxyl radical scavengers<sup>54</sup> Antioxidant activity<sup>55</sup>, Nootropic activity<sup>56</sup>, Anxiolytic activity and neuroprotective effect<sup>57</sup> of *Puraria tuberosa* DC is reported. Shete R V et al demonstrated the nootropic effect of *Hemidesmus indicus* (L.) R. Br. ex Schult<sup>58</sup>

Antioxidant activity of various extracts of *Vacha* (*Acarus calamus* Linn) in different oxidative-stress models has been reported<sup>59,60,61</sup>. Coadministration of the rhizome extract prevented restraint-induced cognitive impairment in rats<sup>62</sup>. Ethyl acetate extract and a-sasarone prevented noise stress-induced memory impairment in rats<sup>63</sup>. Hypnosis-potentiating and hypotensive activities<sup>64,65,66</sup> of the plant is residing in its volatile oil with b-sasarone as major constituent<sup>67</sup>. Neuroprotective<sup>68</sup>, Sedative, and respiratory depressive activities of the rhizomes are also reported<sup>69</sup>. Two bitter principles named

acorin and acoretin are reported in this plant<sup>70</sup>. Studies reported a significant free radical scavenging capacity of methanol and aqueous extracts of *Katuka rohini* (*Picrorhiza kurroa* Royle ex Benth.)<sup>71,72</sup>. Studies reported a significant sedative effect in mice after treatment with sandal oil<sup>73</sup> and alpha and beta santalols are responsible for sedative effect of sandalwood preparations<sup>74</sup>. A clinical study reported significant subjective sedative effect by alpha santalol in healthy Thai volunteers<sup>75</sup> Invitro antioxidant activity of *Terminalia chebula* Retz is reported by various studies<sup>76,77,78</sup>

Golechha M et al reported memory enhancing, and antioxidant activity of hydroalcoholic extract of *Emblica officinalis* Gaertn. in scopolamine-induced cognitive impairment in mice<sup>79</sup>. Antidepressant-like effect in mice was observed by treatment with aqueous fruit extract<sup>80</sup> Pre-treatment of rats with hydroalcoholic extract improved cognitive deficit and ameliorated oxidative stress<sup>81</sup>. Gallic acid, methyl gallate, corilagin, furosin and geraniin were identified as the chemical constituents responsible for nitric oxide scavenging activity<sup>82</sup>.

Ginger powder and juice is reported to provide protection from oxidative stress<sup>83</sup>, lowers lipid peroxidation and maintains activities of antioxidant enzymes<sup>84</sup>, protection against behavioural dysfunction and Alzheimer-like symptoms in rats<sup>85</sup>. Improvement in cognitive performance, memory impairment and antioxidant markers in cerebral ischemic rats<sup>86,87</sup> were also reported.

Studies reported that administration of methanol fruit extract of *Piper nigrum* Linn improved memory and exhibited anxiolytic and antidepressant effects in spatial memory impairment in rats<sup>88,89</sup>.

Enhanced learning and spatial memory in aged rats<sup>90</sup> significant increase in recognition memory<sup>91</sup> and protection of brain against neurotoxic insults<sup>92</sup> by administration of *Curcuma longa* Linn were reported. Curcumin supplemented-diet improved age-related cognitive functions in rats<sup>93</sup> and significantly improved cognitive tasks, locomotor activity, oxidative defence in mice<sup>94</sup>. Curcumin also protected against acute ethanol-induced memory deficit<sup>95</sup> significantly reversed brain oxidative damage<sup>96</sup>. Berberine, a major alkaloid of *Berberis arista* Sims is reported to possess antidepressant activity<sup>97</sup>.

Ghee is mentioned as best suited for those desirous of dhi (intelligence), smriti (memory) and medha by acharyas. It is said to be beneficial for mental alertness and memory in adults as well in children. When processed with appropriate medicines, its curative power is immense and

can be used in several diseases<sup>98</sup>. Acharya Vagbhata suggested daily intake of ghee before food for *vayasthapana*<sup>99</sup>. Several ghee-based formulations are recommended by acharyas for the preservation and promotion of brain and neurological health especially in chapters dealing with *Unmada* and *apasmara*. These include *Kalyana ghrita*, *Mahakalyana ghrita*, *Mahapaisaachika ghrita*, *Brahmi ghrita*, and *Lashunadi ghrita*<sup>100</sup>. Ingredients of *Naladadi ghrita* contain many lipophilic terpenoids, flavanols etc. So, ghee medium will help to extract the maximum therapeutic properties of ingredients in to the formulation. Blood-brain barrier acts as a major obstacle to the delivery of drugs to the central nervous system. Membrane separating the central nervous system tissue and circulating blood is lipophilic. Thus, it selectively permits the passage of lipids and lipid-soluble drugs across it. Therefore, any drug given in the form of ghee will not only be processed and absorbed fast but also be able to reach some of the most hard-to-reach areas of the body like the CNS. This clarifies the better efficacy of various psychotropic drugs given in the form of ghee in CNS diseases<sup>101</sup>.

Acharya Vagbhata added *Ksheera* as an ingredient in *Naladadi ghrita*. *Ksheera* is the best *jeevaneeya dravya* and its daily use is will do *rasayana karma*. *Goksheera* is said to be having *rasayana* property. Also, *balya*, *brimhana* and *kshayahara* properties of the *ksheera* could make it to use in *rasayana chikitsa*.

## DISCUSSION

Review of individual drugs of *Naladadi ghrita* revealed their role in digestion and various brain functions. *Madhura*, *katu* and *tikta rasa* predominant drugs by their nourishing role in the *indriyas* and *manas*, *deepana* and *pachana* properties and *srotosodhana* action helps to maintain the normal functioning of *doshas* and *anulonma gati* of *vata*. *Srotosodhana* action helps to normalise *manovahasrotas* also. Since regular use of this *ghrita* enhances physical health, it can be utilised as a nerve tonic. Researchers identified a relationship between enteric nervous system and neurological disorders<sup>102</sup>. Concept of gut-brain axis links emotional and cognitive centres of the brain with peripheral intestinal functions and importance of gut microbiota in influencing these interactions are evident from recent researches<sup>103</sup>. Studies has revealed a linking between several pathophysiological conditions with an impaired gut microbiome, the effects of which extend beyond the gut and in particular to the brain. This

microbiome-gut-brain axis considerably affects neural function and pathophysiology like susceptibility to autism, neurodegenerative diseases<sup>104</sup>. Considering these factors, we can identify *Naladadi ghrita* as an ideal drug for various neurological conditions including Dementia, Parkinsons disease, Alzheimer's disease etc. Ayurveda system of medicine uses a single drug and polyherbal formulations for the treatment of various ailments. Use of polyherbal formulations dated back to the time of *acharya sarnghadhara* and is said to be achieve extra therapeutic effectiveness. Scientific studies have revealed that combination of plants will produce a greater result as compared to individual use of the plant and also the sum of their individual effect through a positive herb-herb interaction known as synergism<sup>105</sup>. Hence combination of drugs of *Naladadi ghrita* also may produce an extra therapeutic effectiveness by synergism and can be utilised for the treatment of various CNS disorders including *jarajanya medhakshaya*.

## CONCLUSION

Satisfactory effect and safety of Ayurvedic polyherbal formulations making them one of the highly selected drugs of choice for treatment and prevention of various ailments. *Naladadi ghrita* is such a formulation indicated in *rasayana prakarnana* of *Ashtanga hridaya* and literature review of its individual drugs revealed its action on memory, learning and other neuroprotective activities. Correct and rational use of this formulation will help to prevent and treat various central nervous system disorders including *Jarajanya medhakshaya*.

**Acknowledgements:- Nil**

**Conflict of Interest – None**

**Source of Finance & Support - Nil**

## REFERENCES

1. Government Of India. National Programme For The Health Care Of The Elderly (NPHCE), Operational Guidelines. New Delhi: Government Of India; 2011
2. United Nations Department Of Economic And Social Affairs, Population Division. World Population Prospects (2008 Revision). 2008. Available: [Http://Esa.Un.Org/Unpp/Index.Asp?Panel=2](http://Esa.Un.Org/Unpp/Index.Asp?Panel=2).
3. National Sample Survey Organisation. National Sample Survey, 60th Round, Report No. 507 (60/25.0/1). New Delhi: Ministry Of Statistics And Programme Implementation, Government Of India; 2006. Morbidity, Health Care And The Condition Of The Aged.

4. Patel V, Prince M. Ageing And Mental Health In A Developing Country: Who Cares? Qualitative Studies From Goa, India. *Psychol Med* 2001;31:29-38.
5. Hou Y At Al. Ageing As A Risk Factor For Neurodegenerative Disease. *Nat Rev Neurol*. 2019 Oct;15(10):565-581. Doi: 10.1038/S41582-019-0244-7. Epub 2019 Sep 9. PMID: 31501588.
6. Choudhary A. Prevalence Of Dementia In India: A Systematic Review And Meta-Analysis. *Indian J Public Health* 2021;65:152-8
7. Wong MYZ, Prevalence And Risk Factors For Cognitive Impairment And Dementia In Indians: A Multiethnic Perspective From A Singaporean Study. *J Alzheimers Dis*. 2019;71(1):341-351. Doi: 10.3233/JAD-190610. PMID: 31381520.
8. Hugo J, Ganguli M. Dementia And Cognitive Impairment: Epidemiology, Diagnosis, And Treatment. *Clin Geriatr Med*. 2014;30(3):421-442. Doi:10.1016/J.Cger.2014.04.001
9. Murman DL. The Impact Of Age On Cognition. *Semin Hear*. 2015;36(3):111-121. Doi:10.1055/S-0035-1555115
10. Shastri K.R Charaka Samhitha Vimanasthana, Chapter 8,Sloka 122Chaukhambha Sanskrit Sansthan, Varanasi, Reprint Edition 2009.Pp.672.
11. Murthy K.R Sarngadhara Samhitha Poorva Khandam,Chapter 6,Sloka 21-23 Chaukhambha Orientalia,Varanasi, Reprint Edition 2009.Pp.30
12. Patel, N, The Conceptual And Applied Study Of Medha And Manas In Ayurveda. 2009 Apr 1AYU (An International Quarterly Journal Of Research In Ayurveda) 126-130 30 2
13. Acharya YT, Sushruta Samhitâ Sutra Sthana 15/48 Chaukhamba Orientalia Varanasi, Seventh Edition 2002.Pp.1970
14. Patel, N, Vyas M, Vyas, H. The Conceptual And Applied Study Of Medha And Manas In Ayurveda. 2009 Apr 1AYU (An International Quarterly Journal Of Research In Ayurveda) 126-130 30 2
15. Singh A.N Basic Concepts Of Dravyaguna Vijnana; Chapter 2Chaukhambha Viswabharati Varanasi; First Edition 2014.Pp.246.
16. Acharya YT Charaka Samhitâ Chikitsa Sthana-1/3 Chaukhamba Sanskrit Sansthana Varanasi; 2001.Pp.30
17. Balasubramani S.P., Et Al. Plant-Based Rasayana Drugs From Ayurveda . *Chin. J. Integr. Med*. 17, 88–94 (2011). <https://doi.org/10.1007/S11655-011-0659-5>
18. Sastri H.S Ashtanga Hridayam Utharasthana-39 Th Chapter, Sloka 44-45, Chaukhamba Sanskrit Sansthana Varanasi; Reprint Edition, 2010.Pp.926.
19. Sastri H.S Ashtanga Hridayam Utharasthana-39 Th Chapter, Sloka 44-45, Chaukhamba Sanskrit Sansthana Varanasi; Reprint Edition, 2010.Pp.926.
20. Gupta K, A Comparative Study On Naladadi Ghrita In Attention-Deficit/Hyperactivity Disorder With Kushmanda Ghrita. *Int J Green Pharm* 2013;7:322-7
21. Indian Medicinal Plants, A Compendium Of 500 Species,Volume 1-5, Published By Orient Longman Private Limited, Reprint Edition 2007
22. Sastri H.S Ashtanga Hridayam Utharasthana-39 Th Chapter, Sloka 46-47, Chaukhamba Sanskrit Sansthana Varanasi; Reprint Edition, 2010.Pp.926.
23. Murthy K.R, Sarngadhara Samhitha Poorva Khandam,Chapter 9,Sloka 1 Chaukhambha Orientalia,Varanasi, Reprint Edition 2009.Pp.115
24. Sastri H.S Ashtanga Hridayam Utharasthana-39 Th Chapter, Sloka 44-45, Chaukhamba Sanskrit Sansthana Varanasi; Reprint Edition, 2010.Pp.926.
25. Murthy K.R, Sarngadhara Samhitha Poorva Khandam,Chapter 9,Sloka 1 Chaukhambha Orientalia,Varanasi, Reprint Edition 2009.Pp.115
26. Sastri K, Caraka Samhitha Kalpa Sthana,Chapter 12,Sloka 86.Chaukhambha Sanskrit Sansthan, Varanasi, Reprint Edition 2009.
27. Murthy K.R, Sarngadhara Samhitha Poorva Khandam,Chapter 6,Sloka 14-17 Chaukhambha Orientalia,Varanasi;2009.Pp.29
28. Sastri K Caraka Samhitha Vimanasthana,Chapter 8,Sloka 122 Chaukhambha Sanskrit Sansthan, Varanasi, Reprint Edition 2009.Pp.672.
29. Indian Medicinal Plants, A Compendium Of 500 Species,Volume 1-5, Published By Orient Longman Private Limited,Reprint Edition 2007
30. Singh A,Rasayana Therapy: A Magic Contribution Of Ayurveda For Healthy Long Life. *International Journal Of Research In Ayurveda & Pharmacy*. 5. 2014. 41-47. 10.7897/2277-4343.05109.
31. Vaynman S, Coupling Energy Metabolism With A Mechanism To Support Brain-Derived Neurotrophic Factor-Mediated Synaptic Plasticity. *Neuroscience*. 2006;139:1221–1234.
32. Gómez-Pinilla F. Brain Foods: The Effects Of Nutrients On Brain Function. *Nat Rev Neurosci*. 2008;9(7):568-578. Doi:10.1038/Nrn2421
33. Frautschy SA, Et Al. Phenolic Anti-Inflammatory Antioxidant Reversal Of A $\beta$ -Induced Cognitive Deficits And Neuropathology. *Neurobiol Aging*. 2001;22:993–1005.

34. Wu A, Dietary Curcumin Counteracts The Outcome Of Traumatic Brain Injury On Oxidative Stress, Synaptic Plasticity, And Cognition. *Exp Neurol*. 2006;197:309–317.
35. Rezaie P. Effects Of Bitter Substances On GI Function, Energy Intake And Glycaemia-Do Preclinical Findings Translate To Outcomes In Humans? *Nutrients*. 2021 Apr 16;13(4):1317. Doi: 10.3390/Nu13041317. PMID: 33923589; PMCID: PMC8072924.
36. Singh N. Functional Bitter Taste Receptors Are Expressed In Brain Cells. *Biochem Biophys Res Commun*. 2011 Mar 4;406(1):146-51. Doi: 10.1016/J.Bbrc.2011.02.016. Epub 2011 Feb 12. PMID: 21303656.
37. Singh A. Rasayana Therapy: A Magic Contribution Of Ayurveda For Healthy Long Life. *International Journal Of Research In Ayurveda & Pharmacy*. 5. 2014.41-47. 10.7897/2277-4343.05109.
38. Agarwa P, An Update On Ayurvedic Herb *Convolvulus Pluricaulis Choisy*. *Asian Pac J Trop Biomed*. 2014;4(3):245-252. Doi:10.1016/S2221-1691(14)60240-9
39. Nahata A, Effect Of *Convolvulus Pluricaulis Choisy*. On Learning Behaviour And Memory Enhancing Activity In Rodents. *Natural Product Research*. 2008. 22. 1472-82.
40. Malik J, Protective Effect Of *Convolvuluspluricaulis* Standardized Extract And Its Fractions Against 3-Nitropropionicacid-Induced Neurotoxicity In Rats, *Pharmaceutical Biology*, 2015.53:10, 1448-1457, DOI:10.3109/13880209.2014.984856
41. Agarwa P, An Update On Ayurvedic Herb *Convolvulus Pluricaulis Choisy*. *Asian Pac J Trop Biomed*. 2014;4(3):245-252. Doi:10.1016/S2221-1691(14)60240-9
42. Dhingra D, Goyal PK. Inhibition Of MAO And GABA: Probable Mechanisms For Antidepressant-Like Activity Of *Nardostachys Jatamansi* DC. In Mice. *Indian J Exp Biol*. 2008 Apr;46(4):212-8. PMID: 18512329.
43. Bose BC., *Nardostachys Jatamansi* DC: Its Sedative And Depressant Action As Estimated By Warburg Technique. *Indian J Med Sci*. 1957;11:803–7.
44. Ahmad M, Et Al. Attenuation By *Nardostachys Jatamansi* Of 6-Hydroxydopamine-Induced Parkinsonism In Rats: Behavioral, Neurochemical, And Immunohistochemical Studies. *Pharmacol Biochem Behav*. 2006;83:150–60.
45. Joshi H, Parle M. *Nardostachys Jatamansi* Improves Learning And Memory In Mice. *J Med Food*. 2006;9:113–8.
46. Akbar S. *Nardostachys Jatamansi* (D. Don) DC (Caprifoliaceae). In: *Handbook Of 200 Medicinal Plants*. Springer, Cham. [https://doi.org/10.1007/978-3-030-16807-0\\_133](https://doi.org/10.1007/978-3-030-16807-0_133)
47. Rucker G, Tautges J, Sieck A, Wenzl H, Graf E. Isolation And Pharmacodynamic Activity Of The Sesquiterpene Valeranone From *Nardostachys Jatamansi* DC. *Arzneimforsch*. 1978;28:7–13 (German).
48. Parle M, Dhingra D, Kulkarni SK. Memory-Strengthening Activity Of *Glycyrrhiza Glabra* In Exteroceptive And Interoceptive Behavioral Models. *J Med Food*. 2004;7:462–6.
49. Dhingra D, Parle M, Kulkarni SK. Memory Enhancing Activity Of *Glycyrrhiza Glabra* In Mice. *J Ethnopharmacol*. 2004;91:361–5
50. Dhingra D, Parle M, Kulkarni SK. Comparative Brain Cholinesteraseinhibiting Activity Of *Glycyrrhiza Glabra*, *Myristica Fragrans*, Ascorbic Acid, And Metrifonate In Mice. *J Med Food*. 2006;9:281–3.
51. Dhingra D, Sharma A. Antidepressant-Like Activity Of *Glycyrrhiza Glabra* L. In Mouse Models Of Immobility Tests. *Prog Neuropsychopharmacol Biol Psychiatry*. 2006;30:449–54.
52. Sharifzadeh M, Shamsa F, Shiran S, Et Al. A Time Course Analysis Of Systemic Administration Of Aqueous Licorice Extract On Spatial Memory Retention In Rats. *Planta Med*. 2008;74:485–90.
53. Chakravarthi KK, Avadhani R. Beneficial Effect Of Aqueous Root Extract Of *Glycyrrhiza Glabra* On Learning And Memory Using Different Behavioral Models: An Experimental Study. *J Nat Sci Biol Med*. 2013;4:420–5.
54. Nagai T, Egashira T, Yamanaka Y, Kohno M. The Protective Effect Of *Glycyrrhizin* Against Injury Of The Liver Caused By Ischemia-Reperfusion. *Arch. Environ. Contam. Toxicol*. 1991;20:432–6
55. Pandey N, Chaurasia JK, Tiwari OP, Tripathi YB. 2007. Antioxidant Properties Of Different Fractions Of Tubers From *Pueraria Tuberosa* Linn. *Food Chem*. 105:219–222.
56. Rao NV, Pujar B, Nimbal SK, Shantakumar SM, Satyanarayana S. 2008. Nootropic Activity Of Tuber Extract Of *Pueraria Tuberosa* (Roxb). *Indian J Exp Biol*. 46:591–598.
57. Pramanik SS, Sur TK, Debnath PK, Bhattacharyya D. 2010. Effect Of *Pueraria Tuberosa* Tuber Extract On Chronic Foot Shock Stress In Wistar Rats. *Nepal Med Coll J*. 12:234–238.
58. Shete, R.V. & Bodhankar, Subhash. (2010). *Hemidesmus Indicus*: Evaluation Of Its Nootropic Effect In Mice. *International Journal Of Pharma And Bio Sciences*. 1.
59. Acuña UM, Atha DE, Ma J, Et Al. Antioxidant Capacities Of Ten Edible North American Plants. *Phytother Res*. 2002;16:63–5.

60. Manikandan S, Srikumar R, Jeya Parthasarathy N, Sheela Devi R. Protective Effect Of *Acorus Calamus* Linn. On Free Radical Scavengers And Lipid Peroxidation In Discrete Regions Of Brain Against Noise Stress Exposed Rat. *Biol Pharm Bull.* 2005;28:2327–30.
61. Prasad L, Khan TH, Jahangir T, Sultana S. *Acorus Calamus* Extracts And Nickel Chloride: Prevention Of Oxidative Damage And Hyperproliferation Response In Rat Kidney. *Biol Trace Elem Res.* 2006;113:77–92
62. Reddy S, Rao G, Shetty B, Hn G. Effects Of *Acorus Calamus* Rhizome Extract On The Neuromodulatory System In Restraint Stress Male Rats. *Turk Neurosurg.* 2015;25:425–31.
63. Sundaramahalingam M, Ramasundaram S, Rathinasamy SD, Natarajan RP, Somasundaram T. Role Of *Acorus Calamus* And Alpha-Asarone On Hippocampal Dependent Memory In Noise Stress Exposed Rats. *Pak J Biol Sci.* 2013;16:770–8.
64. Dandiya PC, Baxter RM, Cullumbine H. Studies On *Acorus Calamus*. I: A Phytochemical Investigation. *Can Pharm J.* 1958;91:607–10.
65. Dandiya PC, Cullumbine H. Studies On *Acorus Calamus*. III: Some Pharmacological Properties Of The Volatile Oil. *J Pharmacol Exp Ther.* 1959;125:353–9.
66. Dandiya PC, Cullumbine H, Sellers EA. Studies On *Acorus Calamus*. IV. Investigations On Mechanism Of Action In Mice. *J Pharmacol Exp Ther.* 1959;126:334–7.
67. Akbar S. (2020) *Nardostachys Jatamansi* (D. Don) DC (Caprifoliaceae). In: Handbook Of 200 Medicinal Plants. Springer, Cham. [https://doi.org/10.1007/978-3-030-16807-0\\_133](https://doi.org/10.1007/978-3-030-16807-0_133)
68. Shukla PK, Khanna VK, Ali MM, Et Al. Protective Effect Of *Acorus Calamus* Against Acrylamide Induced Neurotoxicity. *Phytother Res.* 2002;16:256–60.
69. Agarwal SL, Dandiya PC, Singh KP, Arora RB. A Note On The Preliminary Studies Of Certain Pharmacological Actions Of *Acorus Calamus*. *J Am Pharmacol Assoc.* 1956;45:655–6 (Scientific Ed.).
70. Khan MA, Islam MT. Analgesic And Cytotoxic Activity Of *Acorus Calamus* L., *Kigelia Pinnata* L., *Mangifera Indica* L. And *Tabernaemontana Divaricata* L. *J Pharm Bioallied Sci.* 2012;4:149–54.
71. Rajkumar V, Guha G, Kumar RA. Antioxidant And Antineoplastic Activities Of *Picrorhiza Kurroa* Extracts. *Food Chem Toxicol.* 2011;49:363–9
72. Russo A, Izzo AA, Cardile V, Et Al. Indian Medicinal Plants As Antiradicals And DNA Cleavage Protectors. *Phytomedicine.* 2001;8:125–32.
73. Fujiwara Y, Ito M. Synergistic Effect Of Fragrant Herbs In Japanese Scent Sachets. *Planta Med.* 2015;81:193–9
74. Okugawa H, Ueda R, Matsumoto K, Kawanishi K, Kato A. Effect Of A-Santalol And B-Santalol From Sandalwood On The Central Nervous System In Mice. *Phytomedicine.* 1995;2:119–26.
75. Hongratanaworakit T, Heuberger E, Buchbauer G. Evaluation Of The Effects Of East Indian Sandalwood Oil And Alpha-Santalol On Humans After Transdermal Absorption. *Planta Med.* 20
76. Bajpai M, Pande A, Tewari SK, Prakash D. Phenolic Contents And Antioxidant Activity Of Some Food And Medicinal Plants. *Int J Food Sci Nutr.* 2005;56:287–91.
77. Bajpai M, Pande A, Tewari SK, Prakash D. Phenolic Contents And Antioxidant Activity Of Some Food And Medicinal Plants. *Int J Food Sci Nutr.* 2005;56:287–91.
78. Cheng HY, Lin TC, Yu KH, Et Al. Antioxidant And Free Radical Scavenging Activities Of *Terminalia Chebula*. *Biol Pharm Bull.* 2003;26:1331–5.
79. Golechha M, Bhatia J, Arya DS. Studies On Effects Of *Embllica Officinalis* (Amla) On Oxidative Stress And Cholinergic Function In Scopolamine Induced Amnesia In Mice. *J Environ Biol.* 2012;33:95–100.
80. Dhingra D, Joshi P, Gupta A, Chhillar R. Possible Involvement Of Monoaminergic Neurotransmission In Antidepressant-Like Activity Of *Embllica Officinalis* Fruits In Mice. *CNS Neurosci Ther.* 2012;18:419–25.
81. Golechha M, Bhatia J, Arya DS. Hydroalcoholic Extract Of *Embllica Officinalis* Gaertn. Affords Protection Against PTZ-Induced Seizures, Oxidative Stress And Cognitive Impairment In Rats. *Indian J Exp Biol.* 2010;48:474–8
82. Kumaran A, Karunakaran RJ. Nitric Oxide Radical Scavenging Active Components From *Phyllanthus Emblica* L. *Plant Foods Hum Nutr.* 2006;61:1
83. Kota N, Panpatil VV, Kaleb R, Et Al. Dose-Dependent Effect In The Inhibition Of Oxidative Stress And Anticlastogenic Potential Of Ginger In STZ Induced Diabetic Rats. *Food Chem.* 2012;135:2954–9.
84. Ahmed RS, Seth V, Banerjee BD. Influence Of Dietary Ginger (*Zingiber Officinale* Rosc.) On Antioxidant Defense System In Rat: Comparison With Ascorbic Acid. *Indian J Exp Biol.* 2000;38:604–6.
85. Zeng GF, Zhang ZY, Lu L, Et Al. Protective Effects Of Ginger Root Extract On Alzheimer Disease-Induced Behavioral Dysfunction In Rats. *Rejuvenation Res.* 2013;16:124–33.
86. Wattanathorn J, Jittiwat J, Tongun T, Et Al. *Zingiber Officinale* Mitigates Brain Damage And Improves



- Memory Impairment In Focal Cerebral Ischemic Rat. Evid Based Complement Alternat Med. 2011;2011:429505.
87. Jittiwat J, Wattanathorn J. Ginger Pharmacopuncture Improves Cognitive Impairment And Oxidative Stress Following Cerebral Ischemia. J Acupunct Meridian Stud. 2012;5:295–300.
88. Hritcu L, Noumedem JA, Cioanca O, Et Al. Anxiolytic And Antidepressant Profile Of The Methanolic Extract Of Piper Nigrum Fruits In Beta-Amyloid (1–42) Rat Model Of Alzheimer’s Disease. Behav Brain Funct. 2015;11:13.
89. Hritcu L, Noumedem JA, Cioanca O, Et Al. Methanolic Extract Of Piper Nigrum Fruits Improves Memory Impairment By Decreasing Brain Oxidative Stress In Amyloid Beta (1-42) Rat Model Of Alzheimer’s Disease. Cell Mol Neurobiol. 2014;34:437–49.
90. J, Piechal A, Blecharz-Klin K, Et Al. The Influence Of The Long-Term Administration Of Curcuma Longa Extract On Learning And Spatial Memory As Well As The Concentration Of Brain Neurotransmitters And Level Of Plasma Corticosterone In Aged Rats. Pharmacol Biochem Behav. 2010;95:351–8.
91. Vidal B, Vázquez-Roque RA, Gnecco D, Et Al. Curcuma Treatment Prevents Cognitive Deficit And Alteration Of Neuronal Morphology In The Limbic System Of Aging Rats. Synapse. 2017;71.
92. Mythri RB, Veena J, Harish G, Et Al. Chronic Dietary Supplementation With Turmeric Protects Against 1-Methyl-4-Phenyl-1,2,3,6-Tetrahydropyridinemediated Neurotoxicity In Vivo: Implications For Parkinson’s Disease. Br J Nutr. 2011;106:63–72.
93. Belviranlı M, Okudan N, Atalık KE, Oz M. Curcumin Improves Spatial Memory And Decreases Oxidative Damage In Aged Female Rats. Biogerontology. 2013;14:187–9
94. Kumar A, Prakash A, Dogra S. Protective Effect Of Curcumin (Curcuma Longa) Against D-Galactose-Induced Senescence In Mice. J Asian Nat Prod Res. 2011;13:42–55.
95. Yu SY, Gao R, Zhang L, Et Al. Curcumin Ameliorates Ethanol-Induced Memory Deficits And Enhanced Brain Nitric Oxide Synthase Activity In Mice. Prog Neuropsychopharmacol Biol Psychiatry. 2013;44C:210–6.
96. Rajakrishnan V, Viswanathan P, Rajasekharan KN, Menon VP. Neuroprotective Role Of Curcumin From Curcuma Longa On Ethanol-Induced Brain Damage. Phytother Res. 1999;13:571–4.
97. Kulkarni SK, Dhir A. Possible Involvement Of L-Arginine-Nitric Oxide (NO)- Cyclic Guanosine Monophosphate (Cgmp) Signaling Pathway In The Antidepressant Activity Of Berberine Chloride. Eur J Pharmacol. 2
98. Vagbhata, Ashtanga Samgraha Of Vagbhata, Sutrasthana, Vol 1, Translated By Prof K.R.Sreekantha Murthy, Chaukhamba Orientalia, Varanasi, Second Edition, Chapter 6, Sloka 68-71, P98-99
99. Vagbhata, Ashtanga Hridayam With Sarvangasundara And Ayurvedarasayana Commentaries. Edited By Pandit Hari Sadasiva Sastri Paradakara,; Chaukhamba Sanskrit Sansthana Varanasi; Reprint Edition, 2010, Utharasthana-39 Th Chapter, Sloka 145, Page No 936
100. Waghmare Sn, Muley Kd, Korde Ab, Chavhan Vp. Review On Various Aspects Of Ghrita Preparation Used In Treatment Of Brain Diseases And Disorders. Certif J | 212 World J Pharm Res Sjjf Impact Factor 8084 World J Pharm Res Www.Wjpr.Net | [Internet]. 2021 [Cited 2021 Oct 15];10:213. Available From: [Www.Wjpr.Net](http://www.wjpr.net)
101. Bali S, Bali R, Markandeshwar M. Delivery Of Phytoconstituents Via Brain Lymphatics: An Unexplored Ocean Of Opportunities In Treatment Of Brain Disorders. Turkish J Physiother Rehabil [Internet]. [Cited 2021 Oct 15];32(3). Available From: [Www.Turkjphysiotherrehabil.Org](http://www.turkjphysiotherrehabil.org)
102. Rao M, Gershon MD. The Bowel And Beyond: The Enteric Nervous System In Neurological Disorders. Nat Rev Gastroenterol Hepatol. 2016;13(9):517-528. Doi:10.1038/Nrgastro.2016.107
103. Carabotti M, Scirocco A, Maselli MA, Severi C. The Gut-Brain Axis: Interactions Between Enteric Microbiota, Central And Enteric Nervous Systems. Ann Gastroenterol. 2015;28(2):203-209.
104. Chrysanthi-Maria Moysidou, Róisín M. Owens; Advances In Modelling The Human Microbiome–Gut–Brain Axis In Vitro. Biochem Soc Trans 26 February 2021; 49 (1): 187–201. Doi: <https://doi.org/10.1042/BST20200338>
105. Parasuraman S, Thing GS, Dhanaraj SA. Polyherbal Formulation: Concept Of Ayurveda. Pharmacogn Rev. 2014;8(16):73-80. Doi:10.4103/0973-7847.134229

**How to cite this article:** Ansary P.Y, Oommen S.M, Shincymol V.V, Mridula. M.K, Sethu. R “A Review On The Role Of *Naladadi Ghrita* (A Polyherbal Medicated Ghee) In The Management Of *Jarajanya Medhakshaya* (Age Related Deterioration Of Intellect)” IRJAY.[online]2022;5(1);126-136  
Available from: <https://irjay.com>;  
Doi : <https://doi.org/10.47223/IRJAY.2022.5119>

**Table 1 Ingredients of Naladadi ghritam as per Indian Medicinal Plants Vol (1-5)<sup>21</sup>**

Drugs	Botanical name	Family	Part used
Nalada	<i>Nardostachys jatamansi</i> DC	Valerianaceae	rhizome
Katukurohini	<i>Picrorhiza kurroa</i> Royle ex Benth	Scrophulariaceae	rhizomes
Payasya	<i>Pueraria tuberosa</i> DC	Fabaceae	tuberous roots
Madhuka	<i>Glycyrrhiza glabra</i> Linn	Fabaceae	roots
Chandana	<i>Santalum album</i> Linn	Santalaceae	heartwood
Sariba	<i>Hemidesmus indicus</i> (Linn.)R.Br	Asclepiadaceae	roots,stem
Vacha	<i>Acorus calamus</i> Linn.	Araceae	Rhizome
Haritaki	<i>Terminalia chebula</i> Retz.	Combretaceae	fruits
Vibhitaki	<i>Terminalia belerica</i> Roxb.	Combretaceae	fruits
Amalaki	<i>Embllica officinalis</i> Gaertn	Euphorbiaceae	fruits
Sunthi	<i>Zingiber officinale</i> Roxb	Zingiberaceae	rhizome
Maricham	<i>Piper nigrum</i> Linn	Piperaceae	fruits
Pippali	<i>Piper longum</i> Linn	Piperaceae	roots,dried spikes
Haridra	<i>Curcuma longa</i> Linn	Zingiberaceae	rhizomes
Daruharidra	<i>Coscinum fenestratum</i> (Gaertan.) Colebr	Menispermaceae	stem
Patola	<i>Trichosnthes cucumerina</i> Linn	Cucurbitaceae	wholeplant
Saindava	Rock salt		
Sankhapushpi	<i>Convolvulus pleuricaulis</i> Choisy	Convolvulaceae	wholeplant

**Table 2 Pharmacological Properties (Rasadi Gunas) of the Drugs from various Nighantus<sup>29</sup>**

	Rasa	Guna	Veerya	Vipaka	Doshaghната	Karmas
Nalada	Tikta, Kashaya madhura	Laghu	Seeta	Katu	Tridoshanut	Medhya, balyam, balakantida
Katukurohini	Katu Tikta	Laghu Ruksha,sara,	Seetam	Katu	Kapha pttahara,	Dipana, Bhedini,Hridya, Jvarahara
Payasya	Madhura	Guru Snigdha	Seeta	Madhura	Vatajit,Pittasrajit kaphakrit	Balya,rasayana, Swaryam ,jivaniyam ,Brimhaneeyam,veerya vridhikrit
Madhuka	Madhura tikta	Guru Snigdha	Seeta	Madhura	Vatapitta kaphapaham	balaswaravarnakrit
Chandana	Tikta Madhura Katu kashayam	Laghu Ruksha	Seeta	Katu	Pittahara, Kaphahara,	Dahaprasamana, Varnya,Hridya, Trishnahara,,Krimighn a, Vishaghna
Sariba	Madhura tikta	Guru Snigdha	Seeta	Madhura	Kaphavataharam Rakthapitha prasamani	Rakthasodhaka Dipanam,Amanasanaa m, Jwaraharam.
Vacha	Katu Tikta	Laghu,ushna ,tikshna,ruks ha tikshna	Ushna	Katu	Vatahara, Kaphahara	Dipana,Pachana Medhya,Ayushyam,Smr itivardhini,vakswarapr ada, Budhi smritiprada



<i>Haritaki</i>	<i>Kashaya, Katu, Tikta, Amla, Madhura</i>	<i>Laghu ruksha</i>	<i>Ushna</i>	<i>Madhura</i>	<i>Tridoshaghnam</i>	<i>Rasayana, dipana, papa kha, Medhya, ayushyam, budhindriya balapradam, smritikarakam</i>
<i>Vibhitaki</i>	<i>Kashaya Katu tikta</i>	<i>Ruksha Laghu</i>	<i>Ushna</i>	<i>Madhura</i>	<i>Kaphapittajith,</i>	<i>Bhedaka, vaiswaryanalksanamll</i>
<i>Amalaki</i>	<i>Pancharasa lavana varjita</i>	<i>Ruksha Laghu sara</i>	<i>Seeta</i>	<i>Madhura</i>	<i>Tridoshajit,</i>	<i>Rasayana, dhatuvidhikrit</i>
<i>Sunthi</i>	<i>Katu</i>	<i>Laghu Snigdha</i>	<i>Ushna</i>	<i>Madhura</i>	<i>kaphavataghnam</i>	<i>Anulomana, DeepanaPachanam, swaryam</i>
<i>Maricham</i>	<i>Katu, Tikta</i>	<i>Laghu, ruksha, Tikshna</i>	<i>Ushna</i>	<i>Katu</i>	<i>Kaphavataharam pithavardhakam</i>	<i>Dipana, pachana Ruchya, chedana,</i>
<i>Pippali</i>	<i>Madhura Katu Tikta</i>	<i>Laghu Snigdham</i>	<i>anushna</i>	<i>Madhura</i>	<i>vatakaphaharam</i>	<i>Dipaneeyam rasayanam</i>
<i>Haridra</i>	<i>Katu Tikta</i>	<i>Ruksha ushna</i>	<i>Ushna</i>	<i>Katu</i>	<i>Kaphapithgni Vatasranut.</i>	<i>Krimighna, kushtaghna, Varnya, Vishaghna, Pramehaghna</i>
<i>Daruharidra</i>	<i>Tiktam katu</i>	<i>Ruksha ushna</i>	<i>Ushna</i>	<i>katu</i>	<i>Kaphapithajit</i>	<i>Doshapacana Netramayaharam</i>
<i>Patola</i>	<i>Tikta, Katu</i>	<i>Laghu, ruksha</i>	<i>ushna</i>	<i>katu</i>	<i>tridoshashamanam</i>	<i>Vrishyam, varnyam, Dipana, pachani</i>
<i>Saindava</i>	<i>Saswadu</i>	<i>laghu</i>	<i>Anushnam</i>		<i>tridoshaghnam</i>	<i>Vrishyam, hridayam</i>
<i>Sankhapushpi</i>	<i>Katu Tikta Kashaya</i>	<i>Sara</i>	<i>Seeta</i>	<i>katu</i>	<i>kaphapithaghni</i>	<i>balya, ayushyam, medhya, rasayanam, mo hanasakam, manasarog ahrit, smritikantibalagnida, swarakarini</i>